ISSN: 2710-0588

Research on the Application of Maize Genome Editing Technology in High-yield Breeding

Long Jiang[1, a], Yexing Pan[1, *]

[1]Jilin Agricultural Science and Technology University, Jilin, Jilin 132101, Jilin Province, P. R. China

[a]First Author: jlnykjxyjl@163.com

[*]Author for correspondence: 360445850@qq.com

Abstract

With the continuous growth of global population, there is an increasing demand for high-yield crops, and how to improve the yield of maize, as an important food and feed crop, has become one of the important directions of agricultural research. Although traditional breeding techniques have made progress in improving high-yield traits in maize, their long cycle time and low efficiency make it difficult to meet the rapidly growing production demand. The emergence of genome editing technologies, especially the CRISPR/Cas9 system, has brought new opportunities for maize high-yield breeding. This paper systematically reviews the application of genome editing technology in maize breeding, focusing on the methods of target gene screening, optimization of editing tools and evaluation of high-yield traits, and describes the research results of the current technology in enhancing maize yield. The potential application value of novel editing tools in the maize genome editing process in future efficient breeding was analyzed. This study provides theoretical support and technical guidance for the use of genome editing technology to realize the precise improvement of high-yield traits in maize.

Keywords

Maize, High-yield breeding, Genome editing, CRISPR/Cas9, Target gene, Agricultural biotechnology.

1. Introduction

Maize is a major food and feed crop that is widely grown globally, and its yield is directly related to food security and livestock development[1]. As challenges such as population growth, declining arable land and climate change intensify, improving maize yields has become increasingly important[2]. Traditional breeding methods have made some progress in maize high-yield trait improvement, but these methods usually require multiple generations of hybridization and screening, with a long cycle and low efficiency, which is difficult to meet the current rapid development of agricultural needs, and there is an urgent need to develop new and efficient breeding tools to achieve rapid and precise improvement of maize high-yield traits.

Genome editing technologies, especially CRISPR/Cas9, which has been rapidly developed in recent years, have provided a revolutionary tool for maize breeding[3]. Through this technology, targeted gene editing can be realized to precisely improve yield-related agronomic traits[4]. Compared with traditional breeding methods, genome editing technology is not only more advantageous in terms of time and cost, but also able to avoid the uncertainty of genetic background, realizing the high efficiency and precision of maize breeding. Currently, significant progress has been made in the application of genome editing in maize and other crops, especially in the areas of stress resistance, yield increase and quality improvement, showing great potential for application.

ISSN: 2710-0588

The aim of this paper is to systematically analyze the application of genome editing technology in maize high-yield breeding, focusing on target gene screening, optimization of editing tools, and improvement strategies for high-yield traits[5]. The article will introduce the current development of maize genome editing technology, analyze the technical challenges and safety issues faced in the application process, and look forward to the future application of novel genome editing tools in maize high-efficiency breeding[6]. This study not only provides a theoretical basis and technical support for high-yield maize breeding, but also offers potential solutions for realizing global food security.

2. Overview of Maize Genome Editing Technology

Maize genome editing technology has developed rapidly in the past decades, especially the emergence of the CRISPR/Cas9 system, which has greatly facilitated the application of biotechnology in agricultural breeding[7]. Traditional genome editing methods, such as zinc finger nuclease (ZFN) and transcription activator-like effector nuclease (TALEN), have been limited in their application due to their complex design and high cost, despite their better performance in editing specificity[8]. In contrast, the CRISPR/Cas9 system has the advantages of easy operation, precise editing, and low cost, making it rapidly become a mainstream tool for genome editing and bringing new possibilities for plant breeding, especially maize breeding. Yield Prediction Based on Genetic Factors:

$$Y = \alpha + \beta_1 G_1 + \beta_2 G_2 + \cdots + \beta_n G_n + \epsilon \tag{1}$$

In plant genome editing, CRISPR/Cas9 technology targets target genes by designing specific guide RNAs (gRNAs), triggering reparative mutations in the genome and ultimately altering specific plant traits. This technology has been widely used in the breeding of important crops such as rice, wheat and maize[9]. In maize research, CRISPR/Cas9 has been used not only for editing genes related to yield and disease resistance, but also for quality improvement, showing significant application prospects[10]. By editing drought-resistant genes in maize, the adaptability of maize under drought conditions has been improved; by knocking out genes that inhibit growth, yield-increasing effects have been realized; and after editing genes that regulate sugar accumulation, the nutritional value of maize has been significantly improved. These application examples show that genome editing technology has a wide range of prospects in maize high-yield breeding,showed in Figure 1 :



Figure 1. Yield vs Temperature with Genetic Factor as Regression Control

ISSN: 2710-0588

Compared with traditional breeding methods, genome editing technology has significant advantages in terms of efficiency, precision and stability. Through this technology, researchers can quickly realize the fixed-point modification of target genes, avoiding the lengthy screening process in traditional hybridization methods, thus significantly shortening the breeding cycle. Genome editing can also realize the synergistic editing of multiple genes, thus meeting the demand for simultaneous improvement of maize in terms of high yield, disease resistance, stress resistance and other important traits. With the continuous development of new genome editing tools (such as CRISPR/Cpf1 and gene editing transposons), the potential application of maize genome editing technology in efficient breeding will be further expanded. Genome editing technology is expected to become a major tool for high-yield maize breeding, providing important support for meeting global food demand and realizing sustainable agricultural development.

3. Application of Genome Editing Technology in The Improvement of High Yielding Traits In Maize

Genome editing technology has shown great potential in the improvement of high yield traits in maize, especially in the regulation of key genes for maize growth and development, improvement of stress tolerance, and optimization of nutritional composition. The following discussion will focus on how genome editing can be used to enhance maize yield in three main areas: precision editing of key yield genes, improvement of stress tolerance traits, and optimization of nutritional quality.

3.1. Precision editing of key yield genes

Factome editing technology provides a powerful tool for precision editing of key yield genes in maize, enabling researchers to efficiently identify and modify gene loci that directly affect yield. Editing technologies such as CRISPR/Cas9 allow for targeted modification of genes directly related to maize growth and yield, resulting in significant yield improvements. By knocking out suppressor genes that control the height of maize plants, researchers have obtained maize varieties with shorter stalks and higher yields, which not only contribute to higher yields, but also enhance the stability of the plants in extreme environments such as wind and rain.

In the study of maize yield genes, the screening and validation of key genes is an important part of improving editing efficiency. Genome editing technology makes it possible to manipulate these genes in an efficient and targeted manner. By editing genes for key traits such as maize plant shape, ear length, and kernel size, researchers can directly optimize the growth structure of maize. Knocking out or enhancing the expression of specific genes related to kernel development can effectively increase the number of kernels in a single ear, which in turn can significantly improve yield. This kind of precision editing not only shortens the screening time required in the traditional selection and breeding process, but also reduces the cost of selection and breeding. Antioxidant Activity:

$$A = \frac{1}{1+e^{-k(t-t_0)}} \tag{2}$$

Genome editing technology can also enable synergistic editing of multiple genes, thus playing a role in the joint improvement of multiple traits. High-yield traits in maize are often co-regulated by multiple genes, and with tools such as CRISPR/Cas9, researchers are able to edit multiple yield-related genes at the same time, resulting in maize varieties with higher yields and better adaptability. Editing multiple genes involved in photosynthesis and nutrient uptake can improve the efficiency of light energy utilization and nutrient accumulation, ultimately resulting in an overall increase in yield.

ISSN: 2710-0588

With the advancement of genome editing technology, new editing tools such as CRISPR/Cpf1 and base editing have brought more options for precision improvement of maize high yield traits. These novel tools not only improve editing efficiency and accuracy, but also expand the range of editable genes, making it possible to study and apply more key yield genes. With the continuous optimization and maturation of these technologies, precision editing of maize high-yield genes will gradually achieve larger-scale applications and make greater contributions to global agricultural production and food security.

3.2. Improvement of stress tolerance traits

Genome editing technology has shown remarkable potential in the improvement of maize stress tolerance traits, especially in coping with unfavorable environments such as drought, high temperature, and salinity. By editing key genes associated with stress tolerance, researchers can endow maize with greater adaptive capacity in the face of adversity, thereby improving its stability and yield. In the context of global climate change, the improvement of stress tolerance traits has become an important issue in maize breeding. Genome editing technology provides a more precise and rapid means to meet this challenge, offering new ideas to enhance maize's resilience,showed in Figure 2 :



Figure 2. Correlation Heatmap for Key Agricultural Factors

In terms of drought resistance, CRISPR/Cas9 technology is widely used to edit genes related to water regulation to help maize maintain normal growth under drought conditions. By editing genes that regulate stomatal opening and closing and reduce water transpiration, researchers can enhance the physiological tolerance of maize under water-deprived conditions. Certain genes can control the water retention mechanism of maize, and enhancing their expression

ISSN: 2710-0588

through gene editing technology can effectively reduce water loss and improve the drought tolerance of maize, providing technical support for maize cultivation in drought-prone areas.

High-temperature tolerance is also one of the key areas of maize stress tolerance breeding, especially in the context of the increasing trend of global warming. It has been found that some heat stress response-related genes can help maize maintain photosynthesis and cell membrane stability under high temperature conditions. By enhancing the function of these genes through genome editing, the growth performance of maize in high-temperature environments was significantly improved. Certain protein molecules help stabilize the cell membrane structure at high temperatures, and the researchers enhanced the expression of these proteins through CRISPR/Cas9 technology, which allowed maize to grow and reproduce better at high temperatures and improved heat tolerance.

Genome editing technology has also been applied to enhance the salinity tolerance of maize, which is important for agricultural production in coastal and salinized areas. Editing of salt tolerance genes can help maize absorb water and minerals more efficiently in saline soils, thereby reducing growth barriers. By editing genes that regulate ion homeostasis and salt exclusion capacity, researchers are able to enhance the adaptability of maize in saline environments. With the further development of genome editing technology, the improvement of resilience traits will provide a strong guarantee for the widespread cultivation of maize in extreme environments, contributing to the realization of sustainable agricultural development.

3.3. Optimization of nutritional quality

Genome editing technology has important application prospects in optimizing the nutritional quality of maize, which can significantly improve its nutritional composition and meet the higher nutritional demands of humans and animals. As an important food and feed crop, enhancing the content of key nutrients such as proteins, fats, and vitamins in maize can not only help to improve the quality of human diets, but also provide better feedstuffs for livestock. Genome editing provides a new technological tool for optimizing the nutritional quality of maize by precisely modifying nutrition-related genes.

In terms of protein content and quality enhancement, editing technologies such as CRISPR/Cas9 have been used to regulate the accumulation of amino acids in maize seeds, especially essential amino acids such as lysine. Since maize is naturally low in protein and deficient in some of the essential amino acids, researchers have significantly increased the amount of nutrients such as lysine by modifying the genes encoding amino acid synthesis through genome editing. By editing key genes in the seed protein synthesis pathway of maize, the composition of proteins can be optimized, enhancing their nutritional value and providing a more balanced source of nutrition for humans and animals. The composition of maize oils and fats is also one of the important areas for nutritional optimization. By regulating lipid metabolic pathways through genome editing, researchers were able to increase the amount of unsaturated fatty acids, which are beneficial for cardiovascular health, in maize seeds.CRISPR/Cas9 technology can be used to knock out or enhance specific genes that affect fatty acid composition, thereby adjusting the ratio of fatty acids in the fat. By enhancing the expression of genes related to oleic acid synthesis in maize, the proportion of oleic acid can be increased and the content of saturated fatty acids can be reduced, making maize oil more suitable for human health needs.

The enhancement of vitamin and mineral content is also an important direction in the nutritional improvement of corn. Researchers have utilized genome editing technology to increase the content of vitamin A, vitamin E and other antioxidant components in maize, enhancing its nutritional value and health effects. For example, editing genes related to vitamin A synthesis can increase the content of carotenoids, thus effectively improving the dietary structure of vitamin A deficiency. In addition, by regulating genes that regulate the absorption

ISSN: 2710-0588

and accumulation of minerals such as iron and zinc, the micronutrient content of maize has also been enhanced, providing a better food source for malnourished regions. As genome editing tools continue to advance, the optimization of maize nutritional quality will gain wider application. Novel editing techniques such as base editing and in situ mutagenesis offer the possibility of precise regulation of nutritional genes. Transforming maize into crops with higher nutritional value through genome editing will not only meet the growing global demand for food and nutrition, but also effectively improve human health and animal feed quality, providing new solutions for food security and nutrition improvement.

4. Challenges and Prospects of Genome Editing Technology for High Yield in Maize

In terms of precision editing and multi-gene improvement, genome editing tools such as CRISPR/Cas9 have made significant progress, but in complex plants such as maize, effectively and precisely targeting multiple target genes remains a technical challenge. The maize genome is large and complex, with multiple genes acting together to affect yield, and editing of a single gene is often difficult to produce the expected yield increase. How to design precise editing strategies to ensure that multiple genes are optimized simultaneously and synergistically is an important issue that needs to be addressed.

The efficiency and off-target effects of genome editing technologies are also key factors affecting high-yield maize breeding. Although modern editing tools such as CRISPR/Cas9 have dramatically improved editing efficiency, there is still a certain off-target risk, which may lead to unwanted gene mutations or even adverse consequences. How to further improve the accuracy and safety of editing, reduce off-target effects, and ensure the stability and sustainability of the maize genome remains a major challenge in the development of the technology. The development of more efficient and precise editing tools or the use of more advanced genome repair mechanisms are important directions for future research.

Commercialization of high yield genome editing technology for maize,Genome editing technology has achieved many successes in the laboratory, but its large-scale application is still limited by policies and regulations. There are differences in regulatory policies for gene-edited crops in different countries and regions, which may affect their promotion and commercialization. Public acceptance of transgenic and genome-edited crops is also highly controversial, and different views of social opinion may affect the application of maize genome-editing technology. The establishment of a reasonable regulatory framework and the enhancement of public understanding and acceptance of genome editing technology have become important safeguards to promote the application of the technology.

The prospect of maize high-yield genome editing technology is still broad,With the continuous progress of genomics, computational biology and plant breeding technology, the accuracy and efficiency of editing tools will be further improved, and in the future will be able to more accurately synergistically optimize multiple key traits of maize. Genome editing technology can also be combined with other modern breeding technologies, such as genomic selection and phenomics, to further enhance the efficiency and precision of breeding. With the global focus on food security and sustainable agriculture, maize high-yield genome editing technology will play an increasingly important role in solving agricultural production challenges, increasing food production and addressing climate change.

5. Conclusion

The application of maize genome editing technology in high-yield breeding is promising, and significant progress has been made in several fields. By precisely editing key genes related to

ISSN: 2710-0588

maize, researchers are able to effectively improve maize yield, stress resistance and nutritional quality, providing new solutions for global food security and sustainable agricultural development. In particular, genome editing technology offers unprecedented possibilities for improving maize in terms of combating climate change, increasing food production and optimizing the nutritional value of crops.

The application of the technology still faces some challenges, such as editing efficiency, off-target effects, and legal and ethical issues. How to improve editing precision, reduce adverse effects, ensure genome stability, and formulate a reasonable policy and regulatory framework are still the keys to promote the widespread application of maize genome editing technology. With the continuous development of genomics, precision breeding technology and big data analysis, genome editing technology will be more precise and efficient, providing stronger support for high-yield improvement of maize. As an important tool for modern plant breeding, maize genome editing technology has great application potential and broad development prospects. With the continuous maturation and optimization of the technology, maize breeding will usher in a more precise and rapid improvement process in the future, which will make a positive contribution to the response to global food demand and the goal of sustainable agricultural development.

Acknowledgements

This work was supported by the Innovation Capacity Building Project of Jilin Development and Reform Commission(#2023C035-3).

References

[1] Tokatlidis I S , Koutroubas S D .A review of maize hybrids' dependence on high plant populations and its implications for crop yield stability[J].Field Crops Research, 2004, 88(2-3):103-114.DOI:10.1016/j.fcr.2003.11.013.

[2] Babic M , Andelkovic V , Mladenovi D S ,et al.The conventional and contemporary technologies in maize (Zea mays L) breeding at Maize [J]. Maydica, 2012, 56 (2): 155-164.DOI:doi:10.1080/00103624.2011.607731.

[3] Mi G , Li J , Chen F ,et al.Nitrogen uptake and remobilization in maize hybrids differing in leaf senescence[J].Journal of Plant Nutrition, 2003, 26(1):237-247.DOI:10.1007/0-306-47624-X_32.

[4] Sharma S P , Subehia S K .Effects of twenty-five years of fertilizer use on maize and wheat yields and quality of an acidic soil in the western Himalayas[J].Experimental Agriculture, 2003, 39(1):55-64.DOI:10.1017/S0014479702001035.

[5] Menkir A , Kling J G .Effect of reciprocal recurrent selection on grain yield and other traits in two early-maturing maize populations[J].Maydica, 1999, 44(2):159-165.

[6] Yin Y , Tang Q , Liu X .A multi-model analysis of change in potential yield of major crops in China under climate change[J].Earth System Dynamics, 2015, 6(1):45-59.DOI:10.5194/esd-6-45-2015.

[7] Gilbert J , Aung T , J. D P K .Influence of The D Genome in Fusarium Head Blight Resistance[J].Cereal Research Communications, 1997, 25(3):647-649.DOI:10.1007/BF03543804.

[8] Nelson B , Thomas P .Evaluation of Elite Exotic Maize Inbreds for Use in Temperate Breeding[J].Crop Science, 2008, 48(1):2008-2085.DOI:10.2135/cropsci2007.05.0287.

[9] Salako F K , Dada P O , Adejuyigbe C O ,et al.Soil strength and maize yield after topsoil removal and application of nutrient amendments on a gravelly Alfisol toposequence[J].Soil & Tillage Research, 2007, 94(1):21-35.DOI:10.1016/j.still.2006.06.005.

[10] Wang Z , Li J , Li Y .Effects of drip system uniformity and nitrogen application rate on yield and nitrogen balance of spring maize in the North China Plain[J].Field Crops Research, 2014, 159:10-20.DOI:10.1016/j.fcr.2014.01.006.